



County of San Diego

DAVID HALL, CCB
EXECUTIVE OFFICER/CLERK

CLERK OF THE BOARD OF SUPERVISORS
1600 PACIFIC HIGHWAY, ROOM 402, SAN DIEGO, CALIFORNIA 92101-2471
PHONE (619) 531-5600 FAX (619) 338-8146
www.sandiegocob.com

ANDREW POTTER
ASSISTANT CLERK OF THE BOARD

STATEMENT OF PROCEEDINGS SAN DIEGO COUNTY AIR POLLUTION CONTROL DISTRICT HEARING BOARD THURSDAY, MAY 25, 2017

9:00 a.m.

ROLL CALL

SWEARING OF WITNESSES BY CLERK

ADMINISTRATIVE ITEM:

- A. Approval of Minute Orders for Petition No. 4479 from April 13, 2017.

ACTION:

ON MOTION of Member Gabrielson, seconded by Vice-Chair Tonner, the Air Pollution Control District Hearing Board approved the Minute Order for Petition No. 4479 from April 13, 2017.

AYES: Rodriguez, Tonner, Gabrielson, Smith

ABSTAIN: Rappolt

- B. Approval of Minute Orders for April 27, 2017.

ACTION:

ON MOTION of Member Gabrielson, seconded by Vice-Chair Tonner, the Air Pollution Control District Hearing Board approved the Minute Orders from May 11, 2017.

AYES: Tonner, Gabrielson, Smith

ABSTAIN: Rodriguez, Rappolt

Petition No.

- 4482 Sycamore Energy II LLC:** request for Regular variance (filed on April 17, 2017) from Rule 21 as applied to Condition Nos. 4 and 7 of Permit No. APCD2005-PTO-980112 for a landfill gas fueled turbine operating at 8514 Mast Blvd., Santee CA 92071, which failed the permit limit for nitrous oxides emissions during a source test on November 15, 2016.

ACTION:

ON MOTION of Vice Chair Tonner, seconded by Member Gabrielson, the Air Pollution Control District Hearing Board accepted the Petitioner's email request for withdrawal received on May 12, 2017.

AYES: Rodriguez, Tonner, Gabrielson, Smith

RECUSED: Rappolt

4485 Air Pollution Control District, County of San Diego: Requests Abatement Order against Respondent CITY OF SAN DIEGO. Requested Abatement Order is not intended to act as a Variance. The District alleges the odors from the municipal landfill operation at 5180 Convoy St. in San Diego causes a nuisance, and seeks an Abatement Order prohibiting the nuisance.

ACTION:

ON MOTION of Member Gabrielson, seconded by Member Smith, the Air Pollution Control District Hearing Board continued petition no. 4485.

AYES: Rodriguez, Tonner, Gabrielson, Smith

RECUSED: Rappolt

4486 DART Aerospace: request for 90-day variance (filed on May 02, 2017) from Rule 21 as applied to Condition No. 1 of Permit No. APCD2000-PTO-930764 (consecutive 12-month limit on VOC emissions) for the manufacturer of aerospace emergency floatation devices located at 3030 Enterprise Ct Suite A Vista CA 92081.

ACTION:

ON MOTION of Member Rappolt, seconded by Member Smith, the Air Pollution Control District Hearing Board accepted the Petitioner's Supplemental Information in Support of Variance to be entered into the official record as Exhibit A with good cause.

ACTION:

ON MOTION of Member Rappolt, seconded by Member Gabrielson, the Air Pollution Control District Hearing Board continued petition no. 4486 to be heard on June 22, 2017.

AYES: Rodriguez, Tonner, Gabrielson, Rappolt, Smith

PUBLIC COMMUNICATION:

Opportunity for members of the Public to speak to the Board on any subject matter within the Board's jurisdiction, but not on an item on today's Agenda. (Five minutes total will be allocated; each speaker's presentation may not exceed one minute and may not relate to pending litigation.)

ACTION: Jan Brown, Janis Derdy, Samuel Osowski, Matty Wuest and Amy Zerofski addressed the Board in favor of Petition No. 4485, Jeremy Ogul addressed the Board in opposition to Petition No. 4485.

ASSISTANCE FOR THE DISABLED:

Agendas and records are available in alternative formats upon request. Contact the Clerk's office at **(619) 531-5434 (voice) or (619) 531-4803 (TTY)**. Assistive Listening Devices (ALDs) are available from the Clerk of the Board in Room 402 prior to the meeting, and are to be returned at the end of the meeting. Individuals requiring sign language interpreters should contact the Americans with Disabilities Coordinator at **(858) 505-6521**, in advance of the meeting so that arrangements may be made. An area in the front of the chamber is designated for individuals requiring the use of wheelchair or other accessible devices.